# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.


United States Department of Agriculture • Animal and Plant Health Inspection Service

# Giant African Snails: A Foreign Threat to U.S. Agriculture

"Giant African snail" is the common name used to describe several foreign snail species that could become serious agricultural pests in the United States. The giant African snail (Achatina fulica), the giant Ghana tiger snail (Achatina achatina), and the banana rasp snail (Archachatina marginata) are large, terrestrial snails native to Africa.



Figure 1-A mature Achatina fulica maneuvers in its environment.





#### The Giant African Snail

Scientists consider *Achatina fulica* to be one of the most damaging land snails in the world. It is known to eat at least 500 different types of plants, including peanut, beans, peas, cucumbers, and melons. If fruits and vegetables are not available, the snails will eat a wide variety of ornamental plants, tree bark, and even paint and stucco on houses.

A. fulica is established throughout the Indo—Pacific basin, including the Hawaiian islands. This mollusk has also been introduced to several Caribbean islands. Giant African snails reached the island of Martinique in 1987 and spread throughout the islands of Basse-Terre and Grande-Terre in Guadeloupe by 1989. They were discovered in St. Martins and Marie-Galante in 1995. By 2000, A. fulica infestations were detected on Saint Lucia and Barbados.

In 1966, a Miami, FL, boy smuggled three giant African snails into South Florida upon returning from a trip to Hawaii. His grandmother eventually released the snails into her garden. Seven years later, more than 18,000 adult snails were found, along with thousands of eggs. The Florida State eradication program took 10 years at a cost of \$1 million.

## **Description and Life Cycle**

Reaching almost 8 inches (20 cm) in length and 5 inches (13 cm) in maximum diameter, *A. fulica* is one of the world's largest land snails—about the size of an average adult fist. When fully grown, the shell of *A. fulica* consists of seven to nine whorls, with a long and greatly swollen body whorl. The brownish shell with darker brown lengthwise stripes covers at least half the length of the snail.

Each snail contains both female and male reproductive organs. After a single mating, each snail can produce 100 to 500 eggs. These amazing creatures can reproduce several more times without mating again. They can generate clutches of eggs every 2 to 3 months.

Although this species thrives in tropical and subtropical areas, it can survive in cold conditions. In winter in the Northern United States, the snail would just become slow and sluggish, almost hibernating until warmer weather returns.

#### Distribution

Like other exotic land snails, giant African snails may enter the United States as hitchhikers on imported cargo. However, there have been recent reports of these snails being illegally imported by individuals for classroom exhibits, as pets, or for food.

79 % 6 1- 12

APHIS 81–35–009 July 2004








Figure 4-Shell of an immature giant African snail.

The U.S. Department of Agriculture (US) tion in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720–2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326–W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250–9410 or call (202) 720–5964 (voice and TDD). USDA is an equal opportunity provider and employer.

### **Damage**

Giant African snails cause extensive damage to plants in tropical and subtropical agricultural systems as well as the environment. These snails are also known to carry organisms that can cause diseases in humans. These organisms can be transferred by ingesting improperly cooked snail meat or by handling live snails and allowing their mucus to contact human mucous membranes such as those in the eyes, nose, and mouth.

#### Control

Because several species of this snail family are capable of becoming agricultural pests, they are illegal in the United States. If you have a giant African snail, do not release it into the environment or give it away. Instead, immediately report it to your State department of agriculture or to the U.S. Department of Agriculture, Animal and Plant Health Inspection Service office in your State.

#### **Additional Information**

For more information on giant African snails and how to contact your State department of agriculture, please visit the APHIS Web site at <a href="http://www.aphis.usda.gov/lpa/issues/ga\_snail/ga\_snail.html">http://www.aphis.usda.gov/lpa/issues/ga\_snail/ga\_snail.html</a>.

Photo credits: All images were taken by APHIS malacologist David G. Robinson.